Aquaculture

VOL. 312 NOS. 1–4 CONTENTS 25 FEBRUARY 2011

(Abstracts/contents list published in: Aquatic Science and Fisheries Abstracts, Biological Abstracts, Elsevier BIOBASE/Current Awareness in Biological Sciences, Current Contents A, B & ES, EMBiology, Environment Abstracts, Freshwater and Aquaculture Contents Tables, Geo Abstracts, Geobase, Marine Science Contents Tables, Zoological Record). Also covered in the abstract and citation database SCOPUS®. Full text available in ScienceDirect®

Review

The biological requirements for post-smolt Atlantic salmon in closed-containment systems
H. Thorarensen (Saudarkrokur, Iceland) and A.P. Farrell (Vancouver, BC, Canada) 1

Diseases

Molecular characterization of *Streptococcus iniae* isolated from hybrid tilapia (*Oreochromis niloticus* × *Oreochromis aureus*)
A.H. Al-Harbi (Riyadh, Saudi Arabia) 15

Groundwater pre-treatment prevents the onset of chronic ulcerative dermatopathy in juvenile Murray cod, *Maccullochella peelii peelii* (Mitchell)
A.G. Schultz, S.L. Shigdar (Geelong, Australia), P.L. Jones (Warrnambool, Australia), A.C. Ward and T. Toop (Geelong, Australia) 19

Quantitative analysis of temperature, salinity and pH on WSSV proliferation in Chinese shrimp *Fenneropenaeus chinensis* by real-time PCR
H. Gao (Qingdao, Lianyungang, China), J. Kong, Z. Li, G. Xiao and X. Meng (Qingdao, China) 26

Genetics

Estimates of strain additive genetic, heterosis and reciprocal effects for male proportion in Nile tilapia, *Oreochromis niloticus* L.
C. Lozano (Sunndalsøra, Ås, Norway), B. Gjerde, H.B. Bentsen (Ås, Norway), E.E. Dionisio (Nueva Ecija, Philippines) and M. Rye (Sunndalsøra, Norway) 32

Production Science

Ranching of wild cod in 'herds' formed with anthropogenic feeding
B. Björnsson (Reykjavík, Iceland) 43

(continued on last page of this issue)

Visit the Elsevier Aquaculture Website today!

New FREE Online Features:

- **Table of Contents NOW WITH ABSTRACTS**
- **Full Search on Abstracts, Authors and Keywords**
- **Author and Subject Index**

Bookmark: http://www.elsevier.com/locate/aqua-online
or http://www.elsevier.com/locate/aqua-online

0044-8486(20110225)312:1-4;1-V

Available online at www.sciencedirect.com
ScienceDirect

(contents continued from back cover)

Successes and pitfalls of the aquaculture of the sponge *Mycale hentscheli*
M.J. Page, S.J. Handley (Nelson, New Zealand), P.T. Northcote (Wellington, New Zealand), D. Cairney and R.C. Willan (Darwin, Northern Territory, Australia) 52
Population dynamic of early stages of *Caligus rogercresseyi* in an embayment used for intensive salmon farms in Chilean inland seas
C. Molinet (Puerto Montt, Coyhaique, Chile), M. Cáceres (Viña del Mar, Chile), M.T. Gonzalez (Antofagasta, Chile), J. Carvajal, G. Asencio, M. Díaz, P. Díaz, M.T. Castro and J. Codjambassis (Puerto Montt, Chile) 62
A Laotian strain of the rotifer *Brachionus angularis* holds promise as a food source for small-mouthed larvae of freshwater fish in aquaculture
Y. Ogata, Y. Tokue (Tokyo, Japan), T. Yoshikawa (Shizuoka, Japan), A. Hagiwara (Nagasaki, Japan) and H. Kurokura (Tokyo, Japan) 72
IMTA with *Gracilaria vermiculophylla*: Productivity and nutrient removal performance of the seaweed in a land-based pilot scale system
M.H. Abreu, R. Pereira (Portugal), C. Yarish (Stamford, CT, USA), A.H. Buschmann (Puerto Montt, Chile) and I. Sousa-Pinto (Portugal) 77
Potential for the hatchery production of spat of the green mussel *Perna viridis* Linnaeus (1758)
P. Laxmilatha (Visakhapatnam, India), G.S. Rao (Kerala, India), P. Patnaik, T.N. Rao, M.P. Rao and B. Dash (Visakhapatnam, India) 88
Improved larviculture of ocellate puffer *Takifugu rubripes* through control of stocking density
T. Kotani, Y. Wakiyama, T. Imoto and H. Fushimi (Hiroshima, Japan) 95

Nutrition
Assessment of dietary lysine requirement for silver perch (*Bidyanus bidyanus*) juveniles
S.-D. Yang (Keelung, Taiwan, ROC), F.-G. Liu (Chupei, Taiwan, ROC) and C.-H. Liou (Keelung, Taiwan, ROC) 102
Long-term effects of high-energy, low-fishmeal feeds on growth and flesh characteristics of Atlantic salmon (*Salmo salar* L.)
C.A. Johnsen, Ø. Hagen (Bodø, Norway) and E.Å. Bendiksen (Trondheim, Norway) 109
Liver alterations induced by long term feeding on commercial diets in Atlantic halibut (*Hippoglossus hippoglossus* L.) females. Histological and biochemical aspects
S. Bolla, O. Nicolaisen and A. Amin (Bodø, Norway) 117
Genetically improved farmed Nile tilapia and red hybrid tilapia showed differences in fatty acid metabolism when fed diets with added fish oil or a vegetable oil blend
C.-Y. Teoh (Penang, Malaysia), G.M. Turchini (Warrnambol, Victoria, Australia) and W.-K. Ng (Penang, Malaysia) . . . 126
The effects of different protein levels in the diet on reproductive indexes of *Rhamdia quelen* females
I.J. Coldebella, J.R. Neto, C.A. Mallmann, C.A. Veiverberg, G.T. Bergamin, F.A. Pedron, D. Ferreira (Santa Maria, Brazil) and L.J.G. Barcellos (Passo Fundo, Brazil) 137
Biosynthesis of long-chain polyunsaturated fatty acids in marine fish: Characterization of an Elovl4-like elongase from cobia *Rachycentron canadum* and activation of the pathway during early life stages
Ó. Monroig (Stirling, Scotland, UK), K. Webb, L. Ibarra-Castro, G.J. Holt (Port Aransas, TX, USA) and D.R. Tocher (Stirling, Scotland, UK) 145
A comparison of the effect of diet extrusion or screw-press pelleting on the digestibility of grain protein products when fed to rainbow trout (*Oncorhynchus mykiss*)
B. Glencross (North Beach, Crawley, WA, Australia), W. Hawkins (South Perth, Crawley, WA, Australia), D. Evans, N. Rutherford (North Beach, Crawley, WA, Australia), P. McCafferty, K. Dods (East Perth, Crawley, WA, Australia) and R. Hauler (Rosny Park, TAS, Australia) 154
Replacing dietary fish oil with Echium oil enriched barramundi with C_{18} PUFA rather than long-chain PUFA
R. Alhazzaa (Launceston, Hobart, TAS, Australia), A.R. Bridle (Launceston, TAS, Australia), P.D. Nichols and C.G. Carter (Hobart, TAS, Australia) 162
Diet development and evaluation for juvenile abalone, *Haliotis asinina* Linne: Lipid and essential fatty acid levels
M.N. Bautista-Teruel (Iloilo, Philippines), S.S. Koshio and M. Ishikawa (Kagoshima, Japan) 172

Physiology and Endocrinology
Enhancing the reproductive performance of tiger shrimp, *Penaeus monodon*, by incorporating sodium alginate in the broodstock and larval diets
M.-Y. Chung, C.-H. Liu, Y.-N. Chen and W. Cheng (Pingtung, Taiwan, ROC) 180
Cultured growth hormone transgenic salmon are reproductively out-competed by wild-reared salmon in semi-natural mating arenas
J.L. Fitzpatrick, H. Akbarashandiz, D. Sakhrani, C.A. Biagi (West Vancouver, B.C. Canada), T.E. Pitcher (Windsor, Ontario, Canada) and R.H. Devlin (West Vancouver, B.C. Canada) 185
Feeding behavior and stress response explain individual differences in feed efficiency in juveniles of Nile tilapia *Oreochromis niloticus*
C.I.M. Martins (Wageningen, The Netherlands; Faro, Portugal), L.E.C. Conceição (Faro, Portugal) and J.W. Schrama (Wageningen, The Netherlands) 192

Characterization of a ranavirus isolated from cultured largemouth bass (*Micropterus salmoides*) in China
G. Deng, S. Li, J. Xie, J. Bai, K. Chen, D. Ma, X. Jiang, H. Lao and L. Yu (Guangzhou, PR China) 198
A preliminary study of digestive enzyme activities and amino acid composition of early juvenile yellowfin tuna (*Thunnus albacares*)
J.A. Buentello, C. Pohlenz (College Station, TX, USA), D. Margulies, V.P. Scholey, J.B. Wexler (Los Santos, Panama), D. Tovar-Ramírez (La Paz, México), W.H. Neill (College Station, TX, USA), P. Hinojosa-Baltazar (La Paz, México) and D.M. Gatlin, III (College Station, TX, USA; Sunndalsøra, Norway) 205

Short Communication

Natural co-infection with infectious hypodermal and hematopoietic necrosis virus (IHHNV) and infectious myonecrosis virus (IMNV) in *Litopenaeus vannamei* in Brazil
M.A. Teixeira-Lopes, P.R.N. Vieira-Girão, J.E.d.C. Freire, Í.R.C.B. Rocha, F.H.F. Costa and G. Rádis-Baptista (Fortaleza, Brazil) 212